

# इलेक्ट्रो होम्योपैथिक मेडिकल एसोसिएशन ऑफ़ इण्डिया



केन्द्रीय कार्यालय : मदनपुर खादर विस्तार, नई दिल्ली-110076  
प्रशा० कार्यालय : 8-लालबाग, कमला शर्मा मार्ग लखनऊ-226001  
प्रधान कार्या० : 127 / 204 "एस" जूही, कानपुर-208014  
Email: ehmaik@gmail.com

## Essential & desirable criteria for Electro Homoeopathic Institution(s)

I	BUILDING	ESSENTIAL	DESIRABLE
a)	Principal Room	10'x15' - 1	Common Room
b)	Office	10'x15' - 1	Store Room
c)	Laboratory	15'x20' - 3	Hostel
d)	Library	15'x20' - 1	General Store & Stationary
e)	Staff Room	10'x15' - 1	Canteen
f)	Toilet/ Washroom	- 3	Playground
g)	Class Room	12'x18'	Botanical Garden
(As per requirement)			

## II LIBRARY

At the time of permission of Institution minimum One Hundred Books are necessary in library and at the end of Batch required books shall reached the number of 500 nos. except this The library must be full fill with Necessary Journal(s), periodical(s), magazine(s) of current affairs.

## III- LABORATORY

There shall be laboratories of Anatomy, Physiology, Pathology, Pharmacy well equipped with Apparatus, equipments, Models and Charts etc.

## IV- MUSEUM

There shall be a museum consisting Botanical Plants, Herbs etc.

## V- HOSPITAL

There shall be a 10 bed hospital with O.P.D.

**The above Norms are for 40 Students.**